Index of Papers Published in 1977

Author Index

A

Aamodt, R.L. *et al.*: *Preliminary Assessment of a Geothermal Energy Reservoir Formed by Hydraulic Fracturing*, (Transaction) SPEJ Aug., 317-326

Advani, S.H. *et al.*: *Thermal and Structural Response Evaluation for Underground Coal Gasification*, (Tech. Paper) SPEJ Dec., 413-422

Anli, J. and **Bentsen, R.G.**: *Using Parameter Estimation Techniques To Convert Centrifuge Data Into a Capillary-Pressure Curve*, (Transaction) SPEJ Feb., 57-64

Armento, M.E. and **Miller, C.A.**: *Stability of Moving Combustion Fronts in Porous Media*, (Transaction) SPEJ Dec., 423-430

B

Bae, J.H. and **Petrick, C.B.**: *Adsorption-Retention of Petroleum Sulfonates in Berea Cores*, (Tech. Paper) SPEJ Oct., 353-357

Bae, J.H.: *Characterization of Crude Oil for Fireflooding Using Thermal Analysis Methods*, (Tech. Paper) SPEJ June, 211-218

Baker, L.E.: *Effects of Dispersion and Dead-End Pore Volume in Miscible Flooding*, (Transaction) SPEJ June, 219-227

Beirute, R.M. and **Flumerfelt, R.W.**: *An Evaluation of the Robertson-Stiff Model Describing Rheological Properties of Drilling Fluids and Cement*, (Forum) SPEJ Apr., 97-100

Bentsen, R.G. and **Anli, J.**: *Using Parameter Estimation Techniques To Convert Centrifuge Data Into a Capillary-Pressure Curve*, (Transaction) SPEJ Feb., 57-64

Brigham, W.E.: *p-Z Behavior for Geothermal Steam Reservoirs*, (Tech. Paper) SPEJ Dec., 407-412

Brigham, W.E. *et al.*: *An Investigation of Transient Flow of Reservoir Fluids Considering Pressure-Dependent Rock and Fluid Properties*, (Transaction) SPEJ Apr., 140-150

Brown, D.W. *et al.*: *Preliminary Assessment of a Geothermal Energy Reservoir Formed by Hydraulic Fracturing*, (Transaction) SPEJ Aug., 317-326

Burnham, J.W. and **Githens, C.J.**: *Chemically Modified Natural Gum for Use in Well Stimulation*, (Tech. Paper) SPEJ Feb., 5-10

D

Dabbous, M.K.: *Displacement of Polymers in Waterflooded Porous Media and Its Effects on a Subsequent Micellar Flood*, (Transaction) SPEJ Oct., 358-368

Dauben, D.L. and **Felber, B.J.**: *Laboratory Development of Lignosulfonate Gels for Sweep Improvement*, (Tech. Paper) SPEJ Dec., 391-397

Denekas, M.O. *et al.*: *Characterization of Petroleum Sulfonates*, (Tech. Paper) SPEJ June, 184-192

Dixon, T.N. *et al.*: *Confidence Limits on the Parameters and Predictions of Slightly Compressible, Single-Phase Reservoirs*, (Transaction) SPEJ Feb., 42-56

Dogru, A.H. *et al.*: *Confidence Limits on the Parameters and Predictions of Slightly Compressible, Single-Phase Reservoirs*, (Transaction) SPEJ Feb., 42-56

Dominguez, J.G. and **Willhite, G.P.**: *Retention and Flow Characteristics of Polymer Solutions in Porous Media*, (Tech. Paper) SPEJ Apr., 111-121

Dupont, T. *et al.*: *Development and Application of Variational Methods for Simulation of Miscible Displacement in Porous Media*, (Transaction) SPEJ June, 228-246

E

Edgar, T.F. *et al.*: *Confidence Limits on the Parameters and Predictions of Slightly Compressible, Single-Phase Reservoirs*, (Transaction) SPEJ Feb., 42-56

Ehrlich, R. and **Wygal, R.J., Jr.**: *Interrelation of Crude Oil and Rock Properties With the Recovery of Oil by Caustic Waterflooding*, (Tech. Paper) SPEJ Aug., 263-270

F

Farouq Ali, S.M. and **Toronyi, R.M.**: *Two-Phase, Two-Dimensional Simulation of a Geothermal Reservoir*, (Tech. Paper) SPEJ June, 171-183

Felber, B.J. and **Dauben, D.L.**: *Laboratory Development of Lignosulfonate Gels for Sweep Improvement*, (Tech. Paper) SPEJ Dec., 391-397

Flumerfelt, R.W. and **Beirute, R.M.**: *An Evaluation of the Robertson-Stiff Model Describing Rheological Properties of Drilling Fluids and Cement*, (Forum) SPEJ Apr., 97-100

G

Gale, W.W. and **Puerto, M.C.**: *Estimation of Optimal Salinity and Solubilization Parameters for Alkylorthoxylene Sulfonate Mixtures*, (Tech. Paper) SPEJ June, 193-200

Gale, W.W. *et al.*: *Characterization of Petroleum Sulfonates*, (Tech. Paper) SPEJ June, 184-192

Githens, C.J. and **Burnham, J.W.**: *Chemically Modified Natural Gum for Use in Well Stimulation*, (Tech. Paper) SPEJ Feb., 5-10

H

Hansford, J.E. and **Nolte, K.G.**: *Closed-Form Expressions for Determining Fatigue Damage of Structures Caused by Ocean Waves*, (Transaction) SPEJ Dec., 431-440

Healy, R.N. and **Reed, R.L.**: *Immiscible Microemulsion Flooding*, (Transaction) SPEJ Apr., 129-139

Heidemann, R.A. *et al.*: *Estimation of the Water Content of Sour Natural Gases*, (Transaction) SPEJ Aug., 281-286

Huang, E.T.S.: *Retorting of Single Oil-Shale Blocks With Nitrogen and Air*, (Tech. Paper) SPEJ Oct., 331-336

J

Jacobson, J.K. *et al.*: *Low Interfacial Tension Involving Mixtures of Surfactants*, (Tech. Paper) SPEJ Apr., 122-128

Jones, S.C. and **Parsons, R.W.**: *Linear Scaling in Slug-Type Processes--Application to Micellar Flooding*, (Tech. Paper) SPEJ Feb., 11-26

K

Kahlich, J.L. *et al.*: *Stress Concentration in Tubular Joints*, (Transaction) SPEJ Aug., 287-299

Khurana, A.K. and **Woods, E.G.**: *Pseudofunctions for Water Coning in a Three-Dimensional Reservoir Simulator*, (Tech. Paper) SPEJ Aug., 251-262
Kuang, J.G. *et al.*: *Stress Concentration in Tubular Joints*, (Transaction) SPEJ Aug., 287-299

L

Lawton, R.G. *et al.*: *Preliminary Assessment of a Geothermal Energy Reservoir Formed by Hydraulic Fracturing*, (Transaction) SPEJ Aug., 317-326
Leick, R.D. *et al.*: *Stress Concentration in Tubular Joints*, (Transaction) SPEJ Aug., 287-299
Lin, Y.T. *et al.*: *Thermal and Structural Response Evaluation for Underground Coal Gasification*, (Tech. Paper) SPEJ Dec., 413-422

M

Martinez, J.J. and **Perez-Rosales, C.**: *Determination of Petrophysical Properties by Stereological Techniques*, (Forum) SPEJ Dec., 441-443
McDonald, A.E. and **Trimble, R.H.**: *Efficient Use of Mass Storage During Elimination for Sparse Sets of Simulation Equations*, (Tech. Paper) SPEJ Aug., 300-316
Miller, C.A. and **Armento, M.E.**: *Stability of Moving Combustion Fronts in Porous Media*, (Transaction) SPEJ Dec., 423-430
Miller, F.G. *et al.*: *An Investigation of Transient Flow of Reservoir Fluids Considering Pressure-Dependent Rock and Fluid Properties*, (Transaction) SPEJ Apr., 140-150
Moller, G.E.: *The Successful Use of Austenitic Stainless Steels in Sea Water*, (Tech. Paper) SPEJ Apr., 101-110
Moore, R.G. *et al.*: *Estimation of the Water Content of Sour Natural Gases*, (Transaction) SPEJ Aug., 281-286
Morgan, J.C. *et al.*: *Low Interfacial Tension Involving Mixtures of Surfactants*, (Tech. Paper) SPEJ Apr., 122-128
Murphy, H.D. *et al.*: *Preliminary Assessment of a Geothermal Energy Reservoir Formed by Hydraulic Fracturing*, (Transaction) SPEJ Aug., 317-326

N

Nolte, K.G. and **Hansford, J.E.**: *Closed-Form Expressions for Determining Fatigue Damage of Structures Caused by Ocean Waves*, (Transaction) SPEJ Dec., 431-440

O

Odeh, A.S.: *Pseudosteady-State Flow Capacity of Oil Wells With Limited Entry and an Altered Zone Around the Wellbore*, (Transaction) SPEJ Aug., 271-280

P

Parsons, R.W. and **Jones, S.C.**: *Linear Scaling in Slug-Type Processes--Application to Micellar Flooding*, (Tech. Paper) SPEJ Feb., 11-26
Peaceman, D.W.: *A Nonlinear Stability Analysis for Difference Equations Using Semi-Implicit Mobility*, (Transaction) SPEJ Feb., 79-91
Perez-Rosales, C. and **Martinez, J.J.**: *Determination of Petrophysical Properties by Stereological Techniques*, (Forum) SPEJ Dec., 441-443
Petrick, C.B. and **Bae, J.H.**: *Adsorption-Retention of Petroleum Sulfonates in Berea Cores*, (Tech. Paper) SPEJ Oct., 353-357
Potter, R.M. *et al.*: *Preliminary Assessment of a Geothermal Energy Reservoir Formed by Hydraulic Fracturing*, (Transaction) SPEJ Aug., 317-326
Potvin, A.B. *et al.*: *Stress Concentration in Tubular Joints*, (Transaction) SPEJ Aug., 287-299
Price, H.S. *et al.*: *Solution of the Equations for Multidimensional, Two-Phase, Immiscible Flow by Variational Methods*, (Tech. Paper) SPEJ Feb., 27-41
Price, H.S. *et al.*: *Development and Application of Variational Methods for Simulation of Miscible Displacement in Porous Media*, (Transaction) SPEJ June, 228-246
Puerto, M.C. and **Gale, W.W.**: *Estimation of Optimal Salinity and Solubilization Parameters for Alkylorthoxylene Sulfonate Mixtures*, (Tech. Paper) SPEJ June, 193-200

R

Rachford, H.H., Jr. and **Ramsey, E.L.**: *Application of Variational Methods to Transient Flow in Complex Liquid Transmission Systems*, (Transaction) SPEJ Apr., 151-166
Raghavan, R.: *Pressure Transient Analysis of a Vertically Fractured Well Producing by Solution-Gas Drive*, (Transaction) SPEJ Oct., 369-376
Ramsey, E.L. and **Rachford, H.H., Jr.**: *Application of Variational Methods to Transient Flow in Complex Liquid Transmission Systems*, (Transaction) SPEJ Apr., 151-166
Reed, R.L. and **Healy, R.N.**: *Immiscible Microemulsion Flooding*, (Transaction) SPEJ Apr., 129-139
Robinson, J.N. *et al.*: *Estimation of the Water Content of Sour Natural Gases*, (Transaction) SPEJ Aug., 281-286
Rossen, R.H.: *Simulation of Naturally Fractured Reservoirs With Semi-Implicit Source Terms*, (Tech. Paper) SPEJ June, 201-210

S

Samaniego V., F. *et al.*: *An Investigation of Transient Flow of Reservoir Fluids Considering Pressure-Dependent Rock and Fluid Properties*, (Transaction) SPEJ Apr., 140-150
Sandvik, E.I. *et al.*: *Characterization of Petroleum Sulfonates*, (Tech. Paper) SPEJ June, 184-192
Schechter, R.S. *et al.*: *Static and Dynamic Adsorption of Anionic and Nonionic Surfactants*, (Tech. Paper) SPEJ Oct., 337-344
Schechter, R.S. *et al.*: *Low Interfacial Tension Involving Mixtures of Surfactants*, (Tech. Paper) SPEJ Apr., 122-128
Seinfeld, J.H. and **Van den Bosch, B.**: *History Matching in Two-Phase Petroleum Reservoirs: Incompressible Flow*, (Tech. Paper) SPEJ Dec., 398-406
Settari, A. *et al.*: *Development and Application of Variational Methods for Simulation of Miscible Displacement in Porous Media*, (Transaction) SPEJ June, 228-246
Settari, A. *et al.*: *Solution of the Equations for Multidimensional, Two-Phase, Immiscible Flow by Variational Methods*, (Tech. Paper) SPEJ Feb., 27-41
Shuck, L.Z. *et al.*: *Thermal and Structural Response Evaluation for Underground Coal Gasification*, (Tech. Paper) SPEJ Dec., 413-422
Sincovec, R.F.: *Generalized Collocation Methods for Time-Dependent, Nonlinear Boundary-Value Problems*, (Tech. Paper) SPEJ Oct., 345-352
Smith, J.E.: *Thermodynamics of Salinity Changes Accompanying Compaction of Shaly Rocks*, (Tech. Paper) SPEJ Oct., 377-386
Sophany, T. *et al.*: *Static and Dynamic Adsorption of Anionic and Nonionic Surfactants*, (Tech. Paper) SPEJ Oct., 337-344
Spivak, A. *et al.*: *Solution of the Equations for Multidimensional, Two-Phase, Immiscible Flow by Variational Methods*, (Tech. Paper) SPEJ Feb., 27-41

T

Tester, J.W. *et al.*: *Preliminary Assessment of a Geothermal Energy Reservoir Formed by Hydraulic Fracturing*, (Transaction) SPEJ Aug., 317-326

Toronyi, R.M. and **Farouq Ali, S.M.**: *Two-Phase, Two-Dimensional Simulation of a Geothermal Reservoir*, (Tech. Paper) SPEJ June, 171-183

Trimble, R.H. and **McDonald, A.E.**: *Efficient Use of Mass Storage During Elimination for Sparse Sets of Simulation Equations*, (Tech. Paper) SPEJ Aug., 300-316

Trogus, F.J. *et al.*: *Static and Dynamic Adsorption of Anionic and Nonionic Surfactants*, (Tech. Paper) SPEJ Oct., 337-344

V

Van den Bosch, B. and **Seinfeld, J.H.**: *History Matching in Two-Phase Petroleum Reservoirs: Incompressible Flow*, (Tech. Paper) SPEJ Dec., 398-406

W

Wade, W.H. *et al.*: *Low Interfacial Tension Involving Mixtures of Surfactants*, (Tech. Paper) SPEJ Apr., 122-128

Wade, W.H. *et al.*: *Static and Dynamic Adsorption of Anionic and Nonionic Surfactants*, (Tech. Paper) SPEJ Oct., 337-344

Weinstein, H.G. *et al.*: *Numerical Model for Thermal Processes*, (Transaction) SPEJ Feb., 65-78

Wheeler, J.A. *et al.*: *Numerical Model for Thermal Processes*, (Transaction) SPEJ Feb., 65-78

Wichert, E. *et al.*: *Estimation of the Water Content of Sour Natural Gases*, (Transaction) SPEJ Aug., 281-286

Willhite, G.P. and **Dominguez, J.G.**: *Retention and Flow Characteristics of Polymer Solutions in Porous Media*, (Tech. Paper) SPEJ Apr., 111-121

Woods, E.G. and **Khurana, A.K.**: *Pseudofunctions for Water Coning in a Three-Dimensional Reservoir Simulator*, (Tech. Paper) SPEJ Aug., 251-262

Woods, E.G. *et al.*: *Numerical Model for Thermal Processes*, (Transaction) SPEJ Feb., 65-78

Worthington, A.E.: *Determination of Petrophysical Properties by Stereological Techniques*, (Forum) SPEJ Dec., 443-444

Wygal, R.J., Jr. and **Ehrlich, R.**: *Interrelation of Crude Oil and Rock Properties With the Recovery of Oil by Caustic Waterflooding*, (Tech. Paper) SPEJ Aug., 263-270

Subject Index

A

Adsorption
of petroleum sulfonates in Berea cores, (Tech. Paper) SPEJ Oct., 353-357
polymer solutions: retention and flow characteristics in porous media, (Tech. Paper) SPEJ Apr., 111-121
static and dynamic: of anionic and nonionic surfactants, (Tech. Paper) SPEJ Oct., 337-344
Analogs
SEE: Models
Canada
Appraisal
SEE: Evaluations
Athabasca Oil Sands
SEE: Canada

B

Beaufort Sea
SEE: Canada
Boreholes
hydraulically fractured: evaluation of a geothermal energy reservoir formed, (Transaction) SPEJ Aug., 317-326
Bottom-Water Drives
reservoir simulator: three-dimensional; pseudofunctions for water coning, (Tech. Paper) SPEJ Aug., 251-262
Boundary Conditions
time-dependent, nonlinear boundary-value problems: generalized collocation methods for solving, (Tech. Paper) SPEJ Oct., 345-352
Brines
SEE: Water
Buildup Curves
SEE: Pressure Buildup

C

Canada
sour natural gases: estimation of water content, (Transaction) SPEJ Aug., 281-286
Capillary Pressure
curve: using parameter estimation techniques to convert centrifuge data, (Transaction) SPEJ Feb., 57-64
Caustic
waterflooding: interrelation of crude oil and rock properties with recovery of oil, (Tech. Paper) SPEJ Aug., 263-270
Cements
slurries: rheological properties; evaluation of Robertson-Stiff model describing, (Forum) SPEJ Apr., 97-100
Centrifuge
data: using parameter estimation techniques to convert into a capillary-pressure curve, (Transaction) SPEJ Feb., 57-64
Characterization
of crude oil: for fireflooding using thermal analysis methods, (Tech. Paper) SPEJ June, 211-218
petroleum sulfonates, (Tech. Paper) SPEJ June, 184-192
Chemical Flooding
static and dynamic adsorption of anionic and nonionic surfactants, (Tech. Paper) SPEJ Oct., 337-344
Clays
thermodynamics of salinity changes accompanying compaction, (Tech. Paper) SPEJ Oct., 377-386
Coals
underground gasification: thermal and structural response evaluation, (Tech. Paper) SPEJ Dec., 413-422
Collocation Methods
generalized: for time-dependent, nonlinear boundary-value problems, (Tech. Paper) SPEJ Oct., 345-352
Combustion
tube tests: characterization of crude oil for fireflooding using thermal analysis methods, (Tech. Paper) SPEJ June, 211-218
Combustion Drive
SEE: Thermal Recovery of Oil
Combustion Method of Oil Recovery
SEE: Thermal Recovery of Oil
Compaction
shaly rocks: thermodynamics of salinity changes, (Tech. Paper) SPEJ Oct., 377-386
Completion
SEE: Texas
Computers
calculations: numerical model for thermal processes, (Transaction) SPEJ Feb., 65-78
generated curves: for estimation of water content of sour natural gases, (Transaction) SPEJ Aug., 281-286
programs: efficient use of mass storage; during elimination for sparse sets of simulation equations, (Tech. Paper) SPEJ Aug., 300-316
solutions: pseudosteady-state flow capacity; oil wells with limited entry and an altered zone around wellbore, (Transaction) SPEJ Aug., 271-280
Concentration
petroleum sulfonates: in enhanced oil recovery processes, (Tech. Paper) SPEJ June, 184-192
Confidence Limits
slightly compressible, single-phase reservoirs, (Transaction) SPEJ Feb., 42-56
Coning
SEE: Water Coning
Cores
berea: adsorption-retention of petroleum sulfonates, (Tech. Paper) SPEJ Oct., 353-357
Correlations
oil recovery with capillary number: immiscible microemulsion flooding, (Transaction) SPEJ Apr., 129-139
Corrosion
resistance: austenitic stainless steels; successful use in sea water, (Tech. Paper) SPEJ Apr., 101-110
Crude Oils
for fireflooding: characterization using thermal analysis methods, (Tech. Paper) SPEJ June, 211-218
interrelation with rock properties: recovery of oil by caustic waterflooding, (Tech. Paper) SPEJ Aug., 263-270

D

Data
centrifuge: using parameter estimation techniques to convert into a capillary-pressure curve, (Transaction) SPEJ Feb., 57-64
Developments
laboratory: lignosulfonate gels for sweep improvement, (Tech. Paper) SPEJ Dec., 391-397
variational method for simulation: miscible displacement in porous media, (Transaction) SPEJ June, 228-246
Difference Equations
nonlinear stability analysis: using semi-implicit mobility, (Transaction) SPEJ Feb., 79-91

Dispersion
effect in miscible flooding, (Transaction) SPEJ June, 219-227
Displacement
SEE: Miscible Displacement
Solvent Flooding
Thermal Recovery of Oil
Waterflooding
Displacement Mechanism
polymers in waterflooded porous media: effects on a subsequent micellar flood, (Transaction) SPEJ Oct., 358-368
slug-type processes: linear scaling; application to micellar flooding, (Tech. Paper) SPEJ Feb., 11-26
Drilling Fluids
rheological properties: evaluation of Robertson-Stiff model describing, (Forum) SPEJ Apr., 97-100

E

Energy
geothermal: preliminary assessment of a reservoir formed by hydraulic fracturing, (Transaction) SPEJ Aug., 317-326
Environments
hostile: fixed platforms; estimation of stress concentration in tubular goods, (Transaction) SPEJ Aug., 287-299
Equipment
austenitic stainless steels: successful use in sea water, (Tech. Paper) SPEJ Apr., 101-110
tubular joint: stress concentration, (Transaction) SPEJ Aug., 287-299
Evaluations
SEE: Field Tests
Laboratory Studies
geothermal energy reservoir: formed by hydraulic fracturing, (Transaction) SPEJ Aug., 317-326
Robertson-Stiff model: describing rheological properties of drilling fluids and cement slurries, (Forum) SPEJ Apr., 97-100
thermal and structural response: underground coal gasification, (Tech. Paper) SPEJ Dec., 413-422
Extraction
solvent: characterization of petroleum sulfonates, (Tech. Paper) SPEJ June, 184-192

F

Fatigue
cracking: tubular joints; assessment of stress concentration, (Transaction) SPEJ Aug., 287-299
damage of structures: caused by ocean waves; closed-form expressions for determining, (Transaction) SPEJ Dec., 431-440
Field Applications
SEE: Field Tests
Field Tests
SEE: Evaluations
chemically modified natural gum: use in well stimulation, (Tech. Paper) SPEJ Feb., 5-10
water content: estimation for sour natural gases, (Transaction) SPEJ Aug., 281-286
Finite Difference Method
comparison of solution of equations with variational methods: multidimensional, two-phase, immiscible flow, (Tech. Paper) SPEJ Feb., 27-41
comparison with generalized collocation methods: for solving time-dependent, nonlinear boundary-value problems, (Tech. Paper) SPEJ Oct., 345-352
Finite Element Method
method: analysis of stress concentration in tubular joints, (Transaction) SPEJ Aug., 287-299
Fireflood
SEE: Thermal Recovery of Oil
Flow Capacity
pseudosteady-state: oil wells with limited entry and an altered zone around wellbore, (Transaction) SPEJ Aug., 271-280
Fluid Flow
SEE: Miscible Displacement
Solvent Flooding
Thermal Recovery of Oil
Waterflooding
immiscible: solution of the equations for multidimensional, two-phase flow by variational methods, (Tech. Paper) SPEJ Feb., 27-41
incompressible: history matching; two-phase petroleum reservoirs, (Tech. Paper) SPEJ Dec., 398-406
multiphase: immiscible microemulsion flooding, (Transaction) SPEJ Apr., 129-139
porous media: generalized collocation methods for time-dependent, nonlinear boundary-value problems, (Tech. Paper) SPEJ Oct., 345-352
retention and flow characteristics of polymer solutions, (Tech. Paper) SPEJ Apr., 111-121
semi-implicit mobility: a nonlinear stability analysis for difference equations, (Transaction) SPEJ Feb., 79-91
steam: geothermal reservoir; two-phase, two-dimensional simulation, (Tech. Paper) SPEJ June, 171-183
transient: complex liquid transmission systems; application of variational methods, (Transaction) SPEJ Apr., 151-166
Fluid Injection
SEE: Miscible Displacement
Solvent Flooding
Thermal Recovery of Oil
Waterflooding
Formation Evaluation
SEE: Pressure Buildup
Formation Fractures
naturally occurring: simulation with semi-implicit source terms, (Tech. Paper) SPEJ June, 201-210
vertically: well producing by solution-gas drive; pressure transient analysis, (Transaction) SPEJ Oct., 369-376
Formation Fracturing
hydraulic: geothermal energy reservoir formed by; evaluation, (Transaction) SPEJ Aug., 317-326
use of chemically modified natural gum, (Tech. Paper) SPEJ Feb., 5-10
Formation Resistivity Factor
determination by stereological techniques, (Forum) SPEJ Dec., 441-443
Determination of Petrophysical Properties by Stereological Techniques, (Forum) SPEJ Dec., 443-444
Fractured Reservoirs or Fracturing
SEE: Formation Fractures
Formation Fracturing
Fractures
SEE: Formation Fractures
Fracturing Fluids
chemically modified natural gum: use in well stimulation, (Tech. Paper) SPEJ Feb., 5-10
France
sour natural gases: estimation of water content, (Transaction) SPEJ Aug., 281-286

G

Galerkin Method
comparison with collocation methods; for solving time-dependent, nonlinear boundary-value problems, (Tech. Paper) SPEJ Oct., 345-352
solution of equations: multidimensional, two-phase, immiscible flow, (Tech. Paper) SPEJ Feb., 27-41
Gases
SEE: Natural Gas
environment: naturally fractured reservoirs; simulation with semi-implicit source terms, (Tech. Paper) SPEJ June, 201-210

Gasification
coal: underground; thermal and structural response evaluation, (Tech. Paper) SPEJ Dec., 413-422
Gelling Agents
chemically modified natural gum: use in well stimulation, (Tech. Paper) SPEJ Feb., 5-10
Gels
lignosulfonate: for sweep improvement; laboratory development, (Tech. Paper) SPEJ Dec., 391-397
Geothermal Energy
SEE: Energy
Geothermal Reservoirs
formed by hydraulic fracturing: preliminary assessment, (Transaction) SPEJ Aug., 317-326
numerical simulation: two-phase, two-dimensional, (Tech. Paper) SPEJ June, 171-183
Geothermal Steam
reservoirs: p-Z behavior, (Tech. Paper) SPEJ Dec., 407-412
Green River Basin
SEE: Wyoming
Gulf Coast
SEE: Texas
fatigue damage of structures: caused by ocean waves; closed-form expressions for determining, (Transaction) SPEJ Dec., 431-440

H

Hawkins Field
SEE: Texas
Heterogeneity
reservoirs: sweep improvement; laboratory development of lignosulfonate gels, (Tech. Paper) SPEJ Dec., 391-397
History
matching: confidence limits on parameters and predictions of slightly compressible, single-phase reservoirs, (Transaction) SPEJ Feb., 42-56
two-phase petroleum reservoirs; incompressible flow, (Tech. Paper) SPEJ Dec., 398-406
Hydrocarbon Recovery
SEE: Oil Recovery

I

Immiscible Displacement
by variational methods: solution of equations for multidimensional, two-phase, immiscible flow, (Tech. Paper) SPEJ Feb., 27-41
microemulsion flooding, (Transaction) SPEJ Apr., 129-139
In-Situ Combustion
SEE: Thermal Recovery of Oil
Injection
SEE: Miscible Displacement
Solvent Flooding
Waterflooding
polymers: in advance of a micellar flood; displacement in waterflooded porous media, (Transaction) SPEJ Oct., 358-368
Interfacial Tension
controlling: immiscible microemulsion flooding, (Transaction) SPEJ Apr., 129-139
low: involving mixtures of surfactants, (Tech. Paper) SPEJ Apr., 122-128

K

Kelly-Snyder Field
SEE: Texas
Kinetics
adsorption: static and dynamic; anionic and nonionic surfactants, (Tech. Paper) SPEJ Oct., 337-344

L

Laborador Sea
SEE: Canada
Laboratory Studies
adsorption-retention of petroleum sulfonates in Berea cores, (Tech. Paper) SPEJ Oct., 353-357
alkylorthoxylene sulfonate mixtures: estimation of optimal salinity and solubilization parameters, (Tech. Paper) SPEJ June, 193-200
austenitic stainless steels: successful use in sea water, (Tech. Paper) SPEJ Apr., 101-110
centrifuge data: using parameter estimation techniques to convert into a capillary-pressure curve, (Transaction) SPEJ Feb., 57-64
chemically modified natural gum: use in well stimulation, (Tech. Paper) SPEJ Feb., 5-10
compaction of shaly rocks: thermodynamics of salinity changes accompanying, (Tech. Paper) SPEJ Oct., 377-386
crude oil for fireflooding: characterization using thermal analysis methods, (Tech. Paper) SPEJ June, 211-218
immiscible microemulsion flooding, (Transaction) SPEJ Apr., 129-139
lignosulfonate gels: development for sweep improvement, (Tech. Paper) SPEJ Dec., 391-397
micellar flooding: application of linear scaling, (Tech. Paper) SPEJ Feb., 11-26
petroleum sulfonates: characterization of, (Tech. Paper) SPEJ June, 184-192
petrophysical properties: determination by stereological techniques, (Forum) SPEJ Dec., 441-443
Determination of Petrophysical Properties by Stereological Techniques, (Forum) SPEJ Dec., 443-444
polymer solutions: retention and flow characteristics in porous media, (Tech. Paper) SPEJ Apr., 111-121
retorting: single oil-shale blocks; with nitrogen and air, (Tech. Paper) SPEJ Oct., 331-336
static and dynamic adsorption: of anionic and nonionic surfactants, (Tech. Paper) SPEJ Oct., 337-344
surfactant mixtures: low interfacial tensions involved, (Tech. Paper) SPEJ Apr., 122-128
thermal processes, (Transaction) SPEJ Feb., 65-78
waterflooding: caustic; interrelation of crude oil and rock properties with recovery of oil, (Tech. Paper) SPEJ Aug., 263-270
Laminar Flow
SEE: Fluid Flow
Lignites
SEE: Coals
Lignosufonates
gels: for sweep improvement; laboratory development, (Tech. Paper) SPEJ Dec., 391-397
Limited Entry
oil wells: pseudosteady-state flow capacity: altered zone around wellbore, (Transaction) SPEJ Aug., 271-280
Linear Displacement
SEE: Displacement Mechanism
Liquids
surge pressures: complex liquid transmission systems; application of variational methods to transient flow, (Transaction) SPEJ Apr., 151-166
Longwall Generator Concept
underground coal gasification: thermal and structural response evaluation, (Tech. Paper) SPEJ Dec., 413-422
Louisiana
caustic waterflooding: interrelation of crude oil and rock properties with recovery of oil, (Tech. Paper) SPEJ Aug., 263-270
LPG Injection
SEE: Solvent Flooding

M

Mathematical Modeling
SEE: Models
Matrix
large: efficient use of computer mass storage during elimination for sparse sets of simulation equations, (Tech. Paper) SPEJ Aug., 300-316
Micellar Systems
alkylorthoxylene sulfonate mixtures: estimation of optimal salinity and solubilization parameters, (Tech. Paper) SPEJ June, 193-200
scaling of laboratory experiments: slug-type processes, (Tech. Paper) SPEJ Feb., 11-26
subsequent flood: displacement of polymers in waterflooded porous media, (Transaction) SPEJ Oct., 358-368
Microemulsions
immiscible flooding, (Transaction) SPEJ Apr., 129-139
phase: estimation of optimal salinity and solubilization parameters: alkylorthoxylene sulfonate mixtures, (Tech. Paper) SPEJ June, 193-200
Miscible Displacement
effects of dispersion and dead-end pore volume, (Transaction) SPEJ June, 219-227
porous media: development and application of variational methods for simulation, (Transaction) SPEJ June, 228-246
Mixtures
alkylorthoxylene sulfonate: estimation of optimal salinity and solubilization parameters, (Tech. Paper) SPEJ June, 193-200
surfactants: low interfacial tensions, (Tech. Paper) SPEJ Apr., 122-128
Mobility
semi-implicit: a nonlinear stability analysis for difference equations, (Transaction) SPEJ Feb., 79-91
Models
SEE: Simulation
capillary pressure: using parameter estimation techniques to convert centrifuge data, (Transaction) SPEJ Feb., 57-64
linear scaling: of micellar floods, (Tech. Paper) SPEJ Feb., 11-26
mathematical: bottom-drive reservoirs; pseudofunctions for water coning, (Tech. Paper) SPEJ Aug., 251-262
new direct solution methods for reservoir simulation equations; computer storage management, (Tech. Paper) SPEJ Aug., 300-316
p-Z behavior; geothermal steam reservoir, (Tech. Paper) SPEJ Dec., 407-412
pressure-dependent rock and fluid properties; consideration in an investigation of transient flow of reservoir fluids, (Transaction) SPEJ Apr., 140-150
pseudosteady-state flow capacity; oil wells with limited entry and an altered zone around wellbore, (Transaction) SPEJ Aug., 271-280
solution of equations for multidimensional, two-phase, immiscible flow by variational methods, (Tech. Paper) SPEJ Feb., 27-41
stability of moving combustion fronts; porous media, (Transaction) SPEJ Dec., 423-430
thermal processes, (Transaction) SPEJ Feb., 65-78
two-phase, two-dimensional simulation of geothermal reservoir, (Tech. Paper) SPEJ June, 171-183
rate: static and dynamic adsorption of anionic and nonionic surfactants, (Tech. Paper) SPEJ Oct., 337-344
Robertson-Stiff: describing rheological properties of drilling fluids and cement slurries; an evaluation, (Forum) SPEJ Apr., 97-100
structural: underground coal gasification; thermal and structural response evaluation, (Tech. Paper) SPEJ Dec., 413-422
Molecular Weight
influence on interfacial tension: involving mixtures of surfactants, (Tech. Paper) SPEJ Apr., 122-128

N

Natural Gas
sour: estimation of water content, (Transaction) SPEJ Aug., 281-286
New Mexico
geothermal energy: preliminary assessment of a reservoir formed by hydraulic fracturing, (Transaction) SPEJ Aug., 317-326
Nitrogen
and air: retorting of single oil-shale blocks, (Tech. Paper) SPEJ Oct., 331-336
North Sea
fatigue damage of structures: caused by ocean waves; closed-form expressions for determining, (Transaction) SPEJ Dec., 431-440
Numerical Solutions
capillary pressure curve: using parameter estimation techniques to convert centrifuge data, (Transaction) SPEJ Feb., 57-64
difference equations: a nonlinear stability analysis; using semi-implicit mobility, (Transaction) SPEJ Feb., 79-91
direct solution methods: efficient use of computer mass storage during elimination for sparse sets of simulation equations, (Tech. Paper) SPEJ Aug., 300-316
equations for multidimensional, two-phase, immiscible flow: using variational methods, (Tech. Paper) SPEJ Feb., 27-41
fatigue damage: caused by ocean waves; closed-form expressions for determining, (Transaction) SPEJ Dec., 431-440
generalized collocation methods: time-dependent, nonlinear boundary-value problems, (Tech. Paper) SPEJ Oct., 345-352
geothermal reservoir: two-phase, two-dimensional simulation, (Tech. Paper) SPEJ June, 171-183
miscible flooding: effects of dispersion and dead-end pore volume, (Transaction) SPEJ June, 219-227
model for thermal processes, (Transaction) SPEJ Feb., 65-78
naturally fractured reservoirs: simulation with semi-implicit source terms, (Tech. Paper) SPEJ June, 201-210
p-Z geothermal steam reservoirs, (Tech. Paper) SPEJ Dec., 407-412
pseudofunctions for water coning; three-dimensional reservoir simulator, (Tech. Paper) SPEJ Aug., 251-262
pseudosteady-state flow capacity: oil wells with limited entry and an altered zone around wellbore, (Transaction) SPEJ Aug., 271-280
static and dynamic adsorption: of anionic and nonionic surfactants, (Tech. Paper) SPEJ Oct., 337-344
thermodynamics of salinity changes accompanying compaction of shaly rocks, (Tech. Paper) SPEJ Oct., 377-386
underground coal gasification: thermal and structural response evaluation, (Tech. Paper) SPEJ Dec., 413-422
variational methods for simulation: development and application; miscible displacement in porous media, (Transaction) SPEJ June, 228-246

O

Offshore
corrosion: successful use of austenitic stainless steels in sea water, (Tech. Paper) SPEJ Apr., 101-110
platforms: analysis of stress concentration in tubular joints, (Transaction) SPEJ Aug., 287-299
determining fatigue damage of structures caused by ocean waves; closed-form expressions, (Transaction) SPEJ Dec., 431-440
Oil
environment: naturally fractured reservoirs; simulation with semi-implicit source terms, (Tech. Paper) SPEJ June, 201-210
reservoirs: history matching; two-phase, incompressible flow, (Tech. Paper) SPEJ Dec., 398-406

Oil Recovery
efficiency: retorting of single oil-shale blocks with nitogen and air, (Tech. Paper) SPEJ Oct., 331-336
enhanced: displacement of polymers in waterflooded porous media effects on a subsequent micellar flood, (Transaction) SPEJ Oct., 358-368
immiscible microemulsion flooding, (Transaction) SPEJ Apr., 129-139
micellar flooding: linear scaling in slug-type processes, (Tech. Paper) SPEJ Feb., 11-26
waterflooding: caustic; interrelation of crude oil and rock properties, (Tech. Paper) SPEJ Aug., 263-270
Oil Shales
blocks: retorting with nitrogen and air, (Tech. Paper) SPEJ Oct., 331-336
Oil Wells
with limited entry and an altered zone around wellbore: pseudsteady-state flow capacity, (Transaction) SPEJ Aug., 271-280
Oxidation
low-temperature: significance of heat generated in fireflooding, (Tech. Paper) SPEJ June, 211-218

P

Performance Predictions
slightly compressible, single-phase reservoirs, (Transaction) SPEJ Feb., 42-56
Permeability
determination by stereological techniques, (Forum) SPEJ Dec., 441-443
Determination of Petrophysical Properties by Stereoloical Techniques, (Forum) SPEJ Dec., 443-444
estimation: two-phase petroleum reservoir, (Tech. Paper) SPEJ Dec., 398-406
pseudorelative: water coning; three-dimensional reservoir simulator, (Tech. Paper) SPEJ Aug., 251-262
sweep improvement: laboratory development of lignosulfonate gels, (Tech. Paper) SPEJ Dec., 391-397
Petroleum
SEE: Oil
sulfonates: adsorption-retention in Berea cores, (Tech. Paper) SPEJ Oct., 353-357
Physical Properties
petrophysical: determination by stereological techniques, (Forum) SPEJ Dec., 441-443
Determination of Petrophysical Properties by Stereoloical Techniques, (Forum) SPEJ Dec., 443-444
Pipelines
liquid: complex transmission systems; application of variational methods to transient flow, (Transaction) SPEJ Apr., 151-166
Polyacrylamide
in porous media: retention and flow characteristics, (Tech. Paper) SPEJ Apr., 111-121
Polymers
displacement: waterflooded porous media: effects on a subsequent micellar flood, (Transaction) SPEJ Oct., 358-368
gelling agent: chemically modified natural gum; use in well stimulation, (Tech. Paper) SPEJ Feb., 5-10
solutions: retention and flow characteristics in porous media, (Tech. Paper) SPEJ Apr., 111-121
Pore Volume
dead-end: effect in miscible flooding, (Transaction) SPEJ June, 219-227
Porosity
determination by stereological techniques, (Forum) SPEJ Dec., 441-443
Determination of Petrophysical Properties by Stereoloical Techniques, (Forum) SPEJ Dec., 443-444
estimation: two-phase petroleum reservoir, (Tech. Paper) SPEJ Dec., 398-406
Porous Media
SEE: Reservoir Rocks
miscible displacement: development and application of variational methods for simulation, (Transaction) SPEJ June, 228-246
retention and flow characteristics of polymer solutions, (Tech. Paper) SPEJ Apr., 111-121
stability of moving combustion fronts, (Transaction) SPEJ Dec., 423-430
Pressure Behavior
geothermal steam reservoirs, (Tech. Paper) SPEJ Dec., 407-412
rock and fluid properties dependency: consideration in an investigation of transient flow of reservoir fluids, (Transaction) SPEJ Apr., 140-150
surges: in complex liquid transmission systems; application of variational methods to transient flow, (Transaction) SPEJ Apr., 151-166
Pressure Buildup
pressure transient analysis: vertically fractured well producing by solution-gas drive, (Transaction) SPEJ Oct., 369-376
Pressure Maintenance
SEE: Miscible Displacement
Solvent Flooding
Waterflooding
Pressure Transients
analysis: vertically fractured well producing by solution-gas drive, (Transaction) SPEJ Oct., 369-376
Properties
rock and fluid: pressure dependent; consideration in an investigation of transient flow of reservoir fluids, (Transaction) SPEJ Apr., 140-150

R

Recovery Methods
SEE: Oil Recovery
Tertiary Recovery
Thermal Recovery of Oil
Regression Analysis
slightly compressible, single-phase reservoirs: history matching problem, (Transaction) SPEJ Feb., 42-56
Relative Permeability
SEE: Permeability
Reservoir Analysis
SEE: Performance Predictions
Reservoir Engineering
SEE: Reservoir Mechanics
Reservoir Fluids
transient flow: investigation considering pressure-dependent rock and fluid properties, (Transaction) SPEJ Apr., 140-150
Reservoir Mechanics
producing by solution-gas drive: pressure transient analysis of a vertically fractured well, (Transaction) SPEJ Oct., 369-376
Reservoir Pressure
SEE: Pressure Behavior
Reservoir Rocks
SEE: Cores
Porous Media
shaly: thermodynamics of salinity changes accompanying compaction, (Tech. Paper) SPEJ Oct., 377-386
Reservoir Simulation
SEE: Models
time-dependent, nonlinear boundary-value problems: generalized collocation methods, (Tech. Paper) SPEJ Oct., 345-352
Reservoir Stimulation
slightly compressible, single-phase types: confidence limits on parameters and predictions, (Transaction) SPEJ Feb., 42-56
thermal processes: numerical model, (Transaction) SPEJ Feb., 65-78

three-dimensional numerical model: pseudofunctions for water coning, (Tech. Paper) SPEJ Aug., 251-262
Reservoirs
SEE: Bottom-Water Drives
Solution-Gas Drive
fractured; naturally; simulation with semi-implicit source terms, (Tech. Paper) SPEJ June, 201-210
geothermal: two-phase, two-dimensional numerical simulation, (Tech. Paper) SPEJ June, 171-183
geothermal steam: p-Z behavior, (Tech. Paper) SPEJ Dec., 407-412
petroleum: history matching; two-phase, incompressible flow, (Tech. Paper) SPEJ Dec., 398-406
Resistance
factor: porous media; retention and flow characteristics of polymer solutions, (Tech. Paper) SPEJ Apr., 111-121
Retorting
single oil-shale blocks with nitrogen and air, (Tech. Paper) SPEJ Oct., 331-336
Reverse Combustion
SEE: Thermal Recovery of Oil
Rheology
properties: drilling fluids and cement slurries; evaluation of Robertson-Stiff model describing, (Forum) SPEJ Apr., 97-100
Rock Properties
interrelation with crude oil: recovery of oil by caustic waterflooding, (Tech. Paper) SPEJ Aug., 263-270
pressure dependent: consideration in an investigation of transient flow of reservoir fluids, (Transaction) SPEJ Apr., 140-150
Rocks
SEE: Reservoir Rocks

S

SACROC Unit
SEE: Texas
Salinity
changes: accompanying compaction of shaly rocks; thermodynamics, (Tech. Paper) SPEJ Oct., 377-386
optimal: estimation for alkylorthoxylene sulfonate mixtures, (Tech. Paper) SPEJ June, 193-200
San Juan Basin
SEE: New Mexico
Sand
consolidation: oil wells with limited entry and an altered zone around wellbore; pseudosteady-state flow capacity, (Transaction) SPEJ Aug., 271-280
Saturation
relative permeability: estimation in two-phase petroleum reservoir, (Tech. Paper) SPEJ Dec., 398-406
Scaling
linear: in slug-type processes; application to micellar flooding, (Tech. Paper) SPEJ Feb., 11-26
rule: interfacial tension of surfactant mixtures, (Tech. Paper) SPEJ Apr., 122-128
Secondary Recovery
SEE: Miscible Displacement
Thermal Recovery of Oil
Solvent Flooding
Waterflooding
Separation
petroleum sulfonates: into equivalent weight fractions, (Tech. Paper) SPEJ June, 184-192
Shale Oils
SEE: Oil Shales
Shales
thermodynamics of salinity changes accompanying compaction, (Tech. Paper) SPEJ Oct., 377-386
Simulation
equations: efficient use of computer mass storage during elimination for spare sets of equations, (Tech. Paper) SPEJ Aug., 300-316
miscible displacement in porous media: development and application of variational methods, (Transaction) SPEJ June, 228-246
naturally fractured reservoirs: with semi-implicit source terms, (Tech. Paper) SPEJ June, 201-210
two-phase, two-dimensional: geothermal reservoir, (Tech. Paper) SPEJ June, 171-183
Skin Effect
pseudosteady-state flow capacity: oil wells with limited entry and an altered zone around wellbore, (Transaction) SPEJ Aug., 271-280
Slug Process
SEE: Miscible Displacement
linear scaling: application to micellar flooding, (Tech. Paper) SPEJ Feb., 11-26
miscible: effects of dispersion and dead-end pore volume, (Transaction) SPEJ June, 219-227
Solution-Gas Drive
pressure transient analysis: vertically fractured well, (Transaction) SPEJ Oct., 369-376
Solvent Flooding
miscible: effects of dispersion and dead-end pore volume, (Transaction) SPEJ June, 219-227
Sour Gas
water content: estimation of, (Transaction) SPEJ Aug., 281-286
Stability
analysis: nonlinear; for difference equations using semi-implicit mobility, (Transaction) SPEJ Feb., 79-91
moving combustion fronts: porous media, (Transaction) SPEJ Dec., 423-430
Steam Injection
SEE: Thermal Recovery of Oil
Steel
austenitic stainless: successful use in sea water, (Tech. Paper) SPEJ Apr., 101-110
Stereological Techniques
used to determine petrophysical properties, (Forum) SPEJ Dec., 441-443
Determination of Petrophysical Properties by Stereological Techniques, (Forum) SPEJ Dec., 443-444
Stimulation
SEE: Reservoir Stimulation
Well Stimulation
Storage
mass: efficient use within computer during elimination for sparse sets of simulation equations, (Tech. Paper) SPEJ Aug., 300-316
Storage Facilities
SEE: Storage
Stratification
SEE: Permeability
Stress Analysis
tubular joints, (Transaction) SPEJ Aug., 287-299
Sulfonates
adsorption: static and dynamic; anionic and nonionic surfactants, (Tech. Paper) SPEJ Oct., 337-344
alkylorthoxylene: estimation of optimal salinity and solubilization parameters for mixtures, (Tech. Paper) SPEJ June, 193-200
petroleum: adsorption-retention in Berea cores, (Tech. Paper) SPEJ Oct., 353-357
characterization of, (Tech. Paper) SPEJ June, 184-192
Surfactants
alkylorthoxylene sulfonate mixtures: estimation of optimal salinity and solubilization parameters, (Tech. Paper) SPEJ June, 193-200
anionic and nonionic: static and dynamic adsorption, (Tech. Paper) SPEJ Oct., 337-344
flooding: adsorption-retention of petroleum sulfonates in Berea cores, (Tech. Paper) SPEJ Oct., 353-357

mixtures of: low interfacial tensions, (Tech. Paper) SPEJ Apr., 122-128
petroleum sulfonates: characterization of, (Tech. Paper) SPEJ June, 184-192
Sweep Efficiency
improvement: laboratory development of lignosulfonate gels, (Tech. Paper) SPEJ Dec., 391-397
porous media: stability of moving combustion fronts, (Transaction) SPEJ Dec., 423-430
Swept Area
SEE: Sweep Efficiency

T

Tertiary Recovery
displacement of polymers in waterflooded porous media: effects on a subsequent micellar flood, (Transaction) SPEJ Oct., 358-368
Testing
SEE: Field Tests
adsorption-retention of petroleum sulfonates in Berea cores, (Tech. Paper) SPEJ Oct., 353-357
pressure transient analysis: vertically fractured well producing by solution-gas drive, (Transaction) SPEJ Oct., 369-376
single oil-shale blocks: retorting with nitrogen and air, (Tech. Paper) SPEJ Oct., 331-336
transient flow of reservoir fluids: considering pressure-dependent rock and fluid properties, (Transaction) SPEJ Apr., 140-150
Texas
caustic waterflooding: interrelation of crude oil and rock properties with recovery of oil, (Tech. Paper) SPEJ Aug., 263-270
Thermal Recovery of Oil
crude oil for fireflooding: characterization using thermal analysis methods, (Tech. Paper) SPEJ June, 211-218
dry and wet moving combustion fronts: stability in porous media, (Transaction) SPEJ Dec., 423-430
geothermal steam reservoirs: p-Z behavior, (Tech. Paper) SPEJ Dec., 407-412
numerical model, (Transaction) SPEJ Feb., 65-78
Thermodynamics
salinity changes accompanying compaction of shaly rocks, (Tech. Paper) SPEJ Oct., 377-386
Transient Flow
in complex liquid transmission systems: application of variational methods, (Transaction) SPEJ Apr., 151-166
reservoir fluids: investigation considering pressure-dependent rock and fluid properties, (Transaction) SPEJ Apr., 140-150
Transmission
systems: complex liquids; application of variational methods to transient flow, (Transaction) SPEJ Apr., 151-166
Tubular Goods
fatigue damage: caused by ocean waves; closed-form expressions for determining, (Transaction) SPEJ Dec., 431-440
stress concentration, (Transaction) SPEJ Aug., 287-299
Turbulent Flow
SEE: Fluid Flow

U

Underground Combustion
SEE: Combustion
Thermal Recovery of Oil
stability of moving fronts: porous media, (Transaction) SPEJ Dec., 423-430
Underground Storage
SEE: Storage

V

Valuations
SEE: Evaluations
Variational Methods
application to transient flow: complex liquid transmission systems, (Transaction) SPEJ Apr., 151-166
for simulation of miscible displacement: porous media; development and application, (Transaction) SPEJ June, 228-246
solution of equations: multidimensional, two-phase, immiscible flow, (Tech. Paper) SPEJ Feb., 27-41
Viscous Flow
SEE: Fluid Flow
Volumetric Efficiency
displacement of polymers in waterflooded porous media: effects on a subsequent micellar flood, (Transaction) SPEJ Oct., 358-368

W

Water
content: estimation for sour natural gases, (Transaction) SPEJ Aug., 281-286
environment: naturally fractured reservoirs; simulation with semi-implicit source terms, (Tech. Paper) SPEJ June, 201-210
salt: thermodynamics of salinity changes accompanying compaction of shaly rocks, (Tech. Paper) SPEJ Oct., 377-386
sea: successful use of austenitic stainless steel, (Tech. Paper) SPEJ Apr., 101-110
Water Coning
three-dimensional reservoir simulator: pseudofunctions for, (Tech. Paper) SPEJ Aug., 251-262
Waterflooding
caustic: interrelation of crude oil and rock properties with recovery of oil, (Tech. Paper) SPEJ Aug., 263-270
displacement of polymers in preflooded porous media: effect on subsequent micellar flood, (Transaction) SPEJ Oct., 358-368
Wave Height
determining fatigue damage of structures: using closed-form mathematical expressions, (Transaction) SPEJ Dec., 431-440
Well Performance
SEE: Wellbore Mechanics
Well Stimulation
SEE: Formation Fracturing
chemically modified natural gum: use in, (Tech. Paper) SPEJ Feb., 5-10
Wellbore Mechanics
oil wells: with limited entry and an altered zone; pseudosteady-state flow capacity, (Transaction) SPEJ Aug., 271-280
Wyoming
compaction of shaly rocks: thermodynamics of salinity changes accompanying, (Tech. Paper) SPEJ Oct., 377-386